

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://furui.nt-rt.ru/> || fiu@nt-rt.ru

Gate valve

Cryogenic forged steel gate valve



Main parameters

Nominal pressure : 150LB~1500LB,(PN16~PN320)

Nominal diameter : 1/2"~2", (DN15~DN50)

Applicable media: NG, N2, Ar and other gases or liquids

Applicable temperature : -196°C~+150°C

Connection : SW、BW、NPT、flange

Test inspection : GB/T24925、BS6364

Product characteristics

1. Low leakage fireproof packing to prevent valve stem leakage and achieve fireproof function
2. Overall forged lengthened bonnet, structured without weld joint
3. Fully machined bonnet bore, small clearance between the bonnet bore and the valve stem, good cooling effect.
4. The upper seal is located under the stuffing box to prevent abnormal pressure rise in the inner cavity of the bonnet when it is fully opened.
5. Overlaid cobalt-based alloy on the seal surface to ensure the service life.
6. The relief hole of the gate plate is opened to prevent abnormal pressure rise in the valve cavity

Normal-temperature forged steel gate valve



Main parameters

Nominal pressure: 150LB-1500LB (PN16-PN260)

Nominal diameter: 1/2"~2"(DN15-DN50)

Applicable medium: NG, N2, Ar and other gases or liquids

Applicable temperature: -29°C~+300°C

Connection form: flange, SW, BW, NPT

Test inspection: GB/T 26480, API598

Features

1. Low leakage fireproof packing to prevent stem leakage and achieve fireproof function
2. Expanding ring structure
3. Full stroke guidance of the gate plate
4. Overlaid cobalt-based alloy on the seal surface to ensure the service life

Cryogenic forged steel gate valve



Main parameters

Nominal pressure : 150LB~900LB,(PN16~PN160)

Nominal diameter : 2"~12", (DN50~DN300)

Applicable media: NG, N2, Ar and other gases or liquids

Applicable temperature : -196°C~+150°C

Connection : BW、flange

Test inspection : GB/T24925、BS6364

Product characteristics

1. Low leakage fireproof packing to prevent valve stem leakage and achieve fireproof function
2. Overall forged lengthened bonnet, structured without weld joint
3. Fully machined bonnet bore, small clearance between the bonnet bore and the valve stem, good cooling effect.
4. The upper seal is located under the stuffing box to prevent abnormal pressure rise in the inner cavity of the bonnet when it is fully opened.
5. Overlaid cobalt-based alloy on the seal surface to ensure the service life.
6. The relief hole of the gate plate is opened to prevent abnormal pressure rise in the valve cavity

Normal-temperature cast steel gate valve



Main parameters

Nominal pressure : 150LB~900LB,(PN16~PN160)

Nominal diameter : 2"~12", (DN50~DN300)

Applicable media: NG, N₂, Ar and other gases

Applicable temperature : -196°C~+150°C

Connection : BW、flange

Test inspection : GB/T24925、BS6364

Product characteristics

1. Low leakage fireproof packing to prevent valve stem leakage and achieve fireproof function
2. Overlaid cobalt-based alloy on the seal surface to ensure the service life
3. Welded seat ring

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://furui.nt-rt.ru/> || fiu@nt-rt.ru