

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://furui.nt-rt.ru/> || fiu@nt-rt.ru

Check valve

Cryogenic cast steel check valve



Main parameters

Nominal pressure : 150LB~900LB,(PN16~PN160)

Nominal diameter : 2"~6", (DN50~DN150)

Applicable media : NG, N₂, Ar and other gases or liquids

Applicable temperature : -196°C~+150°C

Connection : BW, flange

Test inspection : GB/T24925、BS6364

Design feature

1. Internal pin structure, reducing the valve external leakage point.
2. Overlaid cobalt-based alloy on the seal surface to ensure the service life.
3. The valve flap nut adopts welded cylindrical pin to prevent loosening, which is reliable in tightness.

Cryogenic forged steel check valve



Main parameters

Nominal pressure : 150LB~1500LB,(PN16~PN320)

Nominal diameter : 1/2"~2", (DN15~DN50)

Applicable media : NG、N₂、Ar and other gases or liquids

Applicable temperature : -196°C~+150°C

Connection : SW、BW、NPT、flange

Test inspection : GB/T24925、BS6364

Design feature

1. Overlaid cobalt-based alloy on the seal surface to ensure the service life.
2. The valve flap is precisely guided with the valve body cavity, propped by spring to prevent the valve flap from jamming.
3. Plane seal, with good sealing performance

Cryogenic lift-through check valve



Main parameters

Nominal pressure : 1.6、2.0、2.5MPa

Nominal diameter : 80~150mm

Valve body, bonnet, valve flap: stainless steel

Material of seal: PTFE

Applicable media : NG, O₂, N₂, Ar and other gases or liquids

Applicable temperature : -196°C ~+80°C

Connection : welded

Media flow direction: upwards from the part below the valve flap

Test inspection : GB/T24925

Cryogenic high-pressure check valve



Main parameters

Nominal pressure : 32.0MPa

Nominal diameter : 10~25mm

Applicable media : NG、O₂、N₂、Ar、C₂H₄ and other gases or liquids

Applicable temperature : -196°C ~+80°C

Connection : welded

Media flow direction: downwards from top of the valve flap

Test inspection : GB/T24925

Material of main parts

Valve body, bonnet: stainless steel

Material of seal surface: PCTFE

Cryogenic vacuum jacketed lift check valve



Main parameters

Nominal pressure : 4.0MPa

Nominal diameter : 25~50mm

Valve body, bonnet, valve flap: stainless steel

Material of seal: PTFE

Applicable media : NG、O₂、N₂、Ar and other gases or liquids

Applicable temperature : -196°C ~+80°C

Connection : welded

Media flow direction: upwards from the part below the valve flap

Test inspection : GB/T24925

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://furui.nt-rt.ru/> || fiu@nt-rt.ru